

09/409,146

L Number	Hits	Search Text	DB	Time stamp
1	143435	((fail\$5 or fault) same detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 15:57
2	76680	((fail\$5 or fault) same detect\$3) ) and (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 15:57
3	18431	((fail\$5 or fault) same detect\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:03
4	80918	((fail\$5 or fault) or recover\$3) with (route\$1 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:21
5	57219	370/\$7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:06
6	5464	((fail\$5 or fault) or recover\$3) with (route\$1 or gateway\$1 or node\$1 or switch\$3 or bridge\$1) ) and 370/\$7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:06
7	6160	(fail\$5 or fault\$1 or recover\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1) and 370/\$7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:26
8	0	((fail\$5 or fault\$1 or recover\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1) and 370/\$7.ccls.) same (standby or (stand adj by) or redundant or replac\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:31
9	92989	((fail\$5 or fault\$1 or recover\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:32
10	7511	((fail\$5 or fault\$1 or recover\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:33
11	1068	370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:33
12	417	370/216.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:34
13	262	370/217.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:34

14	151	370/218.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:34
15	517	370/242.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:35
16	288	370/244.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:35
17	476	370/248.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:36
18	380	370/254.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:36
19	227	709/242.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:37
20	291	714/2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:37
21	723	714/4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:37
22	88	(370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (standby or redundant or replac\$5) )) and 370/216.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:38
24	81	(370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (standby or redundant or replac\$5) )) and 370/217.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:38
25	35	(370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (standby or redundant or replac\$5) )) and 370/218.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:38
26	31	(370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (standby or redundant or replac\$5) )) and 370/242.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:38
27	44	(370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (standby or redundant or replac\$5) )) and 370/244.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:38

28	30	(370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/248.ccls.	USPAT; US-PCPUB; EPO; JPO; DERMENT	2002/12/10 16:39
29	29	(370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/254.ccls.	USPAT; US-PCPUB; EPO; JPO; DERMENT	2002/12/10 16:39
30	8	(370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 709/242.ccls.	USPAT; US-PCPUB; EPO; JPO; DERMENT	2002/12/10 16:39
31	3	(370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 714/2.ccls.	USPAT; US-PCPUB; EPO; JPO; DERMENT	2002/12/10 16:39
32	299	((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/216.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/217.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/218.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/242.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/244.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/248.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/254.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 709/242.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 714/2.ccls.)	USPAT; US-PCPUB; EPO; JPO; DERMENT	2002/12/10 16:43

34	226	<p>((370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1) same (standby or (standby by) or redundant or replac\$5) )) and 370/216.ccls.) or ((370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1) same (standby or (standby adj by) or redundant or replac\$5) )) and 370/217.ccls.) or ((370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1) same (standby or (standby adj by) or redundant or replac\$5) )) and 370/218.ccls.) or ((370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1) same (standby or (standby adj by) or redundant or replac\$5) )) and 370/242.ccls.) or ((370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1) same (standby or (standby adj by) or redundant or replac\$5) )) and 370/244.ccls.) or ((370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1) same (standby or (standby adj by) or redundant or replac\$5) )) and 370/248.ccls.) or ((370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1) same (standby or (standby adj by) or redundant or replac\$5) )) and 370/254.ccls.) ((370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1) same (standby or (standby adj by) or redundant or replac\$5) )) and 709/242.ccls.) or ((370/\$7.ccls. and ((fail\$5 or fault\$1 or recover\$3) with (route\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1) same (standby or (standby adj by) or redundant or replac\$5) )) and 714/2.ccls.)) and @AD&lt;=19990120</p>	USPAT; US-PGPHB; EPO; JPO; DERWENT	2002/12/10 16:46
----	-----	--	---	------------------

32	299	<p>((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/216.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/217.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/218.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/242.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/244.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/248.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 370/254.ccls.) ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 709/242.ccls.) or ((370/\$7.ccls. and (((fail\$5 or fault\$1 or recover\$3) with (rout\$3 or gateway\$1 or node\$1 or switch\$3 or bridge\$1)) same (standby or (stand adj by) or redundant or replac\$5) )) and 714/2.ccls.)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/12/10 16:40
----	-----	---	---	---------------------